



Lab 37.1: Using tar for Backup

1. Create a directory called **backup** and in it place a compressed **tar** archive of all the files under `/usr/include`, with the highest level directory being `include`. You can use any compression method (**gzip**, **bzip2** or **xzip**).
2. List the files in the archive.
3. Create a directory called **restore** and unpack and decompress the archive.
4. Compare the contents with the original directory the archive was made from.

Solution 37.1

```
1. $ cd backup
   $ cd /usr ; tar zcvf include.tar.gz include
```

or

```
$ tar -C /usr -zcf include.tar.gz include
$ tar -C /usr -jcf include.tar.bz2 include
$ tar -C /usr -Jcf include.tar.xz include
```

Notice the efficacy of the compression between the three methods:

```
$ du -sh /usr/include
55M      /usr/include
```

```
2. $ ls -lh include.tar.*

-rw-rw-r-- 1 coop coop 5.3M Nov  3 14:44 include.tar.bz2
-rw-rw-r-- 1 coop coop 6.8M Nov  3 14:44 include.tar.gz
-rw-rw-r-- 1 coop coop 4.7M Nov  3 14:46 include.tar.xz
```

```
3. $ tar tvf include.tar.xz
qdrwxr-xr-x root/root          0 2014-10-29 07:04 include/
-rw-r--r-- root/root    42780 2014-08-26 12:24 include/unistd.h
-rw-r--r-- root/root      957 2014-08-26 12:24 include/re_comp.h
-rw-r--r-- root/root   22096 2014-08-26 12:24 include/regex.h
-rw-r--r-- root/root    7154 2014-08-26 12:25 include/link.h
.....
```

Note it is not necessary to give the `j`, `J`, or `z` option when decompressing; `tar` is smart enough to figure out what is needed.

```
4. $ cd .. ; mkdir restore ; cd restore
   $ tar xvf ../backup/include.tar.bz2
include/
include/unistd.h
include/re_comp.h
include/regex.h
include/link
.....
$ diff -qr include /usr/include
```